		Recen	villa Keho	JIL									
Di Si	ate: /u/u/) upplier: MARMON	- _hexst	Batch	No: <u>///</u> /	<u>115868</u> 12687	1							
Packing Slip: Yes No Release Note Attached: Yes No N/A Waybill Attached: Yes No N/A Shipment Complete: Yes No N/A QC6 Inspection Work Order Discrepancies													
Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments							
		Initials	s of receiver	(if shipment	OK) Level	12/2/							
Production/Ad Date Received/Cod Initial	14147				Locati	ion							

H:\FORMS\Purchasing\approved purch\RECREPORT Rev D



290 Chemin du Tremblay Boucherville QU CAN J4B 5X9 TEL. 514/527-9153

FAX. 450/641-4357

PAGE..: 1

Order : 1093373 Date..: 10/06/2010

PACKING SLIP

SOLD TO:

DART AEROSPACE LTD 1270 ABERDEEN STREET

HAWKESBURY ON CAN K6A 1K7

SHIPPED TO:

DART AEROSPACE LTD 1270 ABERDEEN STREET

HAWKESBURY ON CAN K6A 1K7

VIA OVERLAND #	222212	F.O.B. BOUCHERVILLE	<u>SALESPER</u> G. Dulud		JR ORDER NO.
Ordered	Description		Number Pieces	Quantity Shipped	Back Ordered
	Fax all papers Mill tests req	to Linda Lacelle 613-632-1053 uired with all shipment	rev:08/08		
84 /FT	Tariff Number	.058 D6061 r: 7608.20.00.90 .: M6061T6T0.500W.058 HT# F0000634 HT# F0000832	3 2 3 4 -a1	36/FT 48/FT 84/FT <i>U</i>	
48 /FT		.188 .624 E6061 r: 7608.20.00.90 .: M6061T6T1.000W.188 HT# : 50924060		48/FT 48/FT	✓
24 /FT	STAINLESS ROUN SBR .375 Cust. part#	CD 303 .: M303R0.375 HT#93V6	zal 2	24/FT 24/FT	
36 /FT	STAINLESS ROUN SBR .750 Cust. part#	CD 303 .: M303R0.750 HT#		36/FT 6	IN V
				10 1419	17

No.	of	Bdls/Pieces

7	_ /	- 1
-	/	,

Total Weight....:

99



CERTIFIED TEST REPORT http://Certs.KaiserAiuminum.com

KAISER ALUMINUM FABRICATED PRODUCTS, LLC 6573 W. WILLIS ROAD CHANDLER, AZ 85226

CUSTOMER PO NUMBER	CUS	TOMER PART NUMBER:	PRODUCT DESCRIPTION:						
60-8143-1	AT	/.5.058/734	Seamless Tube/Pi	Seamless Tube/Pipe					
KAISER ORDER NUMBER	LINE ITEM:	SHIP DATE:	KAISER LOT NUMBER:	ALLOY:	TEMPER:				
204128	001	10/28/2009	F00006343	(6061)	(T6)				
WEIGHT SHIPPED:	QUANTITY:	B/L NUMBER:	DIAWDAF/THKNS:	WIDTH:	LENGTH:				
691.000 LB	606.000 PCS	203279			12.000 FT				
SHIP TO:		,	SOLD TO:						
MARMON/KEYSTO 10700 MARMON E BOLINGBROOK, II	R		MARMON/KEYSTONE CORP 10700 MARMON DR BOLINGBROOK, IL 60440 USA						

Actual Physical Properties

REFERENCE	DASH#	Sample#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CONTIACS	BEND
F00006343	0001	1	47.4	44.0	12.0	N/A	N/A	N/A
F00006343	0002	1	48.3	44.9	12.5	N/A	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
D67559	.64	.30	.22	.05	. 96	. 07	.04	.02	.00	.00	.00	.00	. 02

Applicable Requirements:

Description: MADE IN USA

OD: 0.500"; Wall: 0.058"; ASTM-B210-04 WW-T-700/6F

WE TAKE EXCEPTION TO PARA. 5.2.1. Per AMS 4082P, WAS NOT OILED.

THE FOLLOWING SPECIFICATION HAVE BEEN MADE INACTIVE OR

CANCELLED: MIL-T-7081, WW-T-700F/GEN, WW-T-700/2E, WW-T-700/3F, WW-T-700/4F, WW-T-700/5E, WW-T-700/6F, WW-T-700/7B

COMPLIES TO DIN EN 10204 JAN 2005

COMPLIES TO DFAR 252.225-7001 and DFAR 252.225-7014

MARMON / KEYSTONE Q.C. REVIEWED

INITIAL

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Raiser's general terms aconditions of sale. Test reports are on file subject to examination.

Chris Garcia, Quality System Engineer

Plant Serial: 00005480

Kaiser Order Number: 204128

Line Item: 001

-DP0PT * F0000P243 * 0004AA0 * A20TA\ * T\P\SOTO

-850. -009: -S.T.Y



Best in Guss

CERTIFIED TEST REPORT http://Certs.KaiserAluminum.com

KAISER ALUMINUM FABRICATED PRODUCTS, LLC 6573 W. WILLIS ROAD CHANDLER, AZ 85226

Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms &conditions of sale. Test reports are on file subject to examination.

Chris Garcia, Quality System Engineer

Christophen J. Hancia

Kaiser Order Number: 204128

Q. C. REVIEWEDm: 001

Plant Serial: 00005480

Page 2 of 2





CERTIFIED TEST REPORT http://Certs.KaiserAluminum.com

KAISER ALUMINUM FABRICATED PRODUCTS, LLC 6573 W. WILLIS ROAD CHANDLER, AZ 85226

CUSTOMER PO NUMBE	R;	CUSTOMER PART	NUMBER:	PRODUCT DESCRIPTION:					
60-11349-2		AT/.5.058/73	4	Seamless Tube/Pipe					
KAISER ORDER NUMBE	R: LINE ITEM:	SHII	P DATE:	KAISER LOT NUMBER:	ALLOY:	TEMPER:			
205589	002	06/	/07/2010	F00008322)	6061	(176)			
WEIGHT SHIPPED:	QUANTITY:	B/L	NUMBER:	DIAMOAF/THKNS:	WIDTH:	LENGTH:			
326.000 LB	286.000 1	PCS 204875				12.000 FT			
SHIP TO:				SOLD TO:					
MARMON/KEYST 10700 MARMON BOLINGBROOK,	DR			MARMON/KEYSTO 10700 MARMON E BOLINGBROOK, I	OR .				

Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	Hardness	CONTIACS	BEND
F00008322	0001	1	45.8	42.5	15.1	N/A	N/A	N/A
F00008322	0002	1	47.7	41.7	18.5	N/A	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	C r	Zn	Ti	Pb	Bi	Zr	£a	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
D68297	. 63	. 30	.22	.05	. 98	.07	. 05	.03	.00	.00	.00	.00	.02

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms aconditions of sale. Test reports are on file subject to examination.

Nathaniel Stevens, Quality Manager

Plant Serial: 00007304

Kaiser Order Number: 205589

Line Item: 002

MARMON / KEYSTONE





CERTIFIED TEST REPORT http://Certs.KaiserAluminum.com

KAISER ALUMINUM FABRICATED PRODUCTS, LLC 6573 W. WILLIS ROAD CHANDLER, AZ 85226

Applicable Requirements:

Description: MADE IN USA

OD: 0.500"; Wall: 0.058"; Round @

AMS-4082P ASTM-B210-04 WW-T-700/6F

WE TAKE EXCEPTION TO PARA. 5.2.1. Per AMS 4082P, WAS NOT OILED.

THE FOLLOWING SPECIFICATIONS HAVE BEEN MADE INACTIVE OR

CANCELLED: MIL-T-7081, WW-T-700F/GEN, WW-T-700/2E, WW-T-700/3F,

WW-T-700/4F, WW-T-700/5E, WW-T-700/6F, WW-T-700/7B

COMPLIES TO DIN EN 10204 JAN 2005

COMPLIES TO DFAR 252.225-7001 and DFAR 252.225-7014

No Weld Repair. Mercury Free.

Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA

Q. C. REVIEWED

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms toonditions of sale. Test reports are on file subject to examination.

Nathaniel Stevens, Quality Manager

Plant Serial: 00007304

Kaiser Order Number: 205589

Line Item: 002

Page 2 of 2

4/18/200b

375

NAS

METALLURGICAL TEST REPORT

NORTH AMERICAN STAINLESS CANADA, INC 740 IMPERIAL ROAD NORTH GUELPH, ON N1K1Z3

NORTH AMERICAN STAINLESS CANADA, INC.

Certificate:

7472 3 Mail To:

MARMON KEYSTONE CANADA, INC.

1220 HERITAGE RD.

BURLINGTON. ON L7L4X9

Ship To:

MARMON KEYSTONE CANADA, INC.

1220 HERITAGE RD.

BURLINGTON, ON L7L4X9

Date: 4/07/2006

Page: 1

Steel: 303

Finish: CD

Corrosion:

Your Order: MN9479-1

Customer: 007080 002

NAS Order: PN 0000325 03

PRODUCT DESCRIPTION:

Round bar, annealed, cold drawn.

REM

REMARKS:

Melted & Manufactured in the USA.

UNS-S-30300, ASTM A582-95B COND A, QQS-764B COND A, AMS 5640T TYP E 1, EN 10204 3.1B FREE FROM MERCURY AND LOW MELTING ALLOY CONTA MINATION. NO WELD REPAIR. Product complies with all requirement

s of EU directive 2002.95.EC.RoKS.

Product Id		Diameter_ Size	Weight	Length	Mark	Pieces	Commodity	Code
BA8740 0	8 10/10/08	.3750	1,516	144.00	1	1		

С	H.E	W	I	C	A	L	A	N	A	L	Y	S	I	5	3	CM	Count	v of Meit)	ES(Spain)	US(United States)
т.	_	~~	_	_							_	-	_		_	ÇIT.	(A CI WOLL	COLODAIII	ASIGNIFED STRICES

Λ	Heat	CM CM	C	co	CR		MN						SI
U	9376) us	.057	.140	17.306	.444	1.775	.322	.037	8.817	.030	.340	.388

MECHANICAL PROPERTIES

Product Id	l d o i c r	HBHARD HB	YS0.2% KSI	UTS KSI	RA %	EL-4D %	
BA8740 0	CL	226.00	98.67	113.63	34.57	27.20	

Q.C Reviewed

QC ENGINEER

£ 12 26_

4/07/2006

ERIC HESS

Acciaierie Valbruna s.p.A.





CERTIFICATO DI COLLAUDO ABNAHMEPRUEFZEUGNIS INSPECTION CERTIFICATE CERTIFICAT DE RECEPTION EN 10204 (2005), 3.1

36100 VICENZA (Italia) - Viale della scienza, 25 z.i. Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4

Cliente / Bestetler/Purchaser/Client VALBRUNA CANADA LTD 8724 HOLGATE CRESCENT L5T 5Z1-MILTON, ONT L5T 5Z1-CAN

Produttore: ACCIAIERIE VALBRUNA S.P.A.

Oggetto Prove: - Annealed Cold Drawn

Avviso di Spedizione: D-VI10005120

Ordine nr: 911002482 Stock - Canada

Tipo di Elaborazione: E+AOD

Certificato nr: MEST838038/2010/

Conferma ordine nr: El09006720

Marchio di Fabbrica: Zeichen des Liefernwerkes Trade mark Sigle de l'usine produtrice

ASME SA320 2007 B8F (0)

Pezzi

Punzone del Collaudatore: Stempel das Werkssachverständigen Inspector's stamp/Poincon de l'assayeur



Lotto nr.

Losni. Lot nr. Lot nr.

Specifiche: Anlorderungen / Requirements / Exigences VAL CANADA 2 303 A.CF ASTM A314 2008 S30300 DOD-F-24669 6 S30300

(0) SECHIPT A 2007 EDITION ADD. 2008a

Qualitá: 303 rkstoff/Grade

MV188ZHS MAXIVAL

AMS 5640 U TYPE1 ASTM A320 2008 B8F MIL-S-862 B/1 303

ASTM A582 2005 \$30300 QQ-S-764 B/2 303

Lunghezza - In

Lange Langth Longueur

148 / 148

Punzonatura: 303

Colata

Schmoize Heat Coulée

250383

pensioni - In bmessungen Dimension Dimension Oggetto Pos. nr. Item nr. Nr. de poste Descrip, du produi 0010 Round 0.7500

Sono state soddisfatte tutte le condizio richieste Die gestellen Anlorderungen sind it. Anlage erfülkt
The material has been furnished in accordance with the requirements
Le material å old trouvé conforme aux exigences Controllo antimescolanza: OK Verwechslungprüfung: spectralan: Antimixing testing performed: OK Contrôle antimelange fall: r.a.s.

Tolleranza Tolleranz. Allowance Totarance

484-08

2.379 931100020 Controllo visivo e dimensionale: soddisfa le esigenze: Besichtigung und Ausmessung: ohne Beanstandung Visual inspection and dimensional checks:satisfactory Controlle visual et dimensions: satisfatismi.

Peso - LB

Gewicht Weight Poids

-		•				•						•			
	·-···	Test	on delive	ery condition Prü	TES etung aut lieferber	T ALLO STA eitem produkt ti				I material así o	come entregado				_
TEST	Provetta/probestab Specimen/Eprovette Larg diam Spess. Brate Dam. Dicke Width Diam. Thickness Larg. diam. epsis	۰F	Posiz. Saggio Petryton Luctor Emblemen	Snervamento Sireotigienze Yead Stress Unite efeatque Rp 0,2% K.S.i.	Snervamento Streckgrenze Yield Stress Direits eleanique	Resistenza Zugtenigkeit Tensile strength Resistance à traction Rm K.S.I.	Brucho	amento seheung gation general E 4d %	Errac Reducti Sir	zione Industrio on ol area Indion RA	Resilier Merbechtege Impact val Resiliero	TDEN	(Ourezza Haerte Hardness Openia HB	
Anfonder	ori richiesti 1 unper/Required values eura démandées	m ma		30	-	75	•	35	-	50	-			140 241	
Α	12,5	68	L	66		100		43	I	52]	230		_

1)L+iongitudinale/fängs, T+trasversale/quer, Q+Tangenzialertangential

Analisi chimica

ensetzung/Chemical Analysis/Analyse chimique

Colata meet Schmelze/Couléb	min - max 0,150	1,00	- 2,00	17,00 19,00	0,60	1,00	8,00 10,00	-	0,15	0,15 0.40	0,400		-
	C%	Si %	Mn %	Cr %	Mo %	Cu %	Ni %	Co%	P %	S %	Zr %	1	
250383	0,037	0,41	1,77	17,42	0,45	0,60	8,42	0,150	0,03	0,35	0,010		

Produced without class I-II Ozone depleting substances. polution heat treated free from continuous carbide network.

Annealing temperature: 1940 °F for 0.5 h/water.

Micro and macro etch test: OK Material is DFARS Compliant

Melted and manufactured in Italy

No welding or weld repair

Material free from Mercury contamination

We declare that the finished product is checked for radioactive contamination through Portal System when it leaves the production plant

The Quality Management System is Certified acc. Pressure Equipment Directive [97/23/EC] Annex 1,s.4.3 by TUEV and LLOYO'S

MARMON / KEYSTONE Q.C. REVIEWED INITIAL

Vicenza,19/02/10
VCQ008
(Mod. MCER)

Il collaudatore di stabilimento / der Werkssachverständige//)Works inspector / L'agent d'usine

M. Rizzoty July

Pagina - 1 di 1



450-641-2153



CERTIFIED TEST REPORT http://Certs.KalserAluminum.com

KAISER ALUMINUM FABRICATED PRODUCTS, LLC 14020 S. COIL PLUS DR UNIT 100 PLAINFIELD. IL 60544

CUSTOMER PO NUMBI	R	CUSTOMER	PART NUMBER:		PRODUCT DESCRIPTION		
60-52051-1		SPIRIT-	360058		1,000 OD X 0.188	WALL ESRT -	
KAISER ORDER NUMB	ER: LINE ITEM:		SHIP DATE:		MADER LOT NUMBER:	ALLOY:	TEMPER;
9055001	001	•	04/20/2010		50924 060)	6061	र8511
WEIGHT SHIPPED:	QUANTITY:		B/L NUMBER	_	DIAM/DAE/THKNS:	WAIDTH:	LENGTH:
6527.D00 LB	482.000 1	PCS	958276			1	24,000 FT
EMIP TO:					80LD 10:		
MARMON-KEYS 10700 MARMON BOLINGBROOK	DR				MARMON-KEYST 10700 MARMON I BOLINGBROOK, I	OR .	JSA

Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	uts (KSI)	YTS (KSI)	%Elong in 2	HARDNESS	CONDUCT.	BEND
XTR092861	0001	001	44.3	37.6	14.1	NA N/A	N/A	N/A
XTR092861	0001	002	44.6	40.9	10.4	NA N/A	N/A	N/A
XTR092861	0001	003	44.6	40.5	12.5	NA N/A	N/A	N/A
XTR092861	0001	004	43.7	39.6	14.5	NA N/A	N/A	A/N
XTR092861	0001	005	43.2	39.4	13.3	NA N/A	A\n	N/A
XTR092861	0001	006	42.6	38.6	14.0	A\N AN	N/A	N/A
XTR092861	0001	007	44.1	39.6	16.0	NA N/A	A/N	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fa	Сы	Mn	Mg	Ċr	Zα	Τ÷	РЬ	Βi	Zr	Ea	Tot	
Maximum	0.8	0.7	0.40	0.15	1.2	0.35	0.25	0.15	NA	NΑ	NA	0.05	0.15	
Minimum	0.40		0.15		0.8	0.04			NA	NΑ	NA			

Applicable Requirements:

ASTM-B241-02-STENCILED ASTM-B221-08 ASME-SB241 1998 SECT II AMS-QQ-A-200/8 TYPE 1 ASTM-B345-02 UNS#96061 ASME SB-221 1998 SEC II (T6511 also conforms to T6-not applicable to other tempers) Also conforms to EN 10204 3.1

10/10/12

Miscellaneous Notes

MANUFACTURED IN USA (,) MELTED IN USA

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC bereby certifies that metal shipped under this order has been inspected and tested and found in conformance with applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms and conditions of sale. Test reports are on file, subject to examination.

Tom G. Small, Jr., QA Manager

Plant Serial: 00288992

Kaiser Order Number: 9055001

Line Item: 001

C PART: #.0.4.5 M/K OBP

SISPRS म्बज्ञस[.] ४०

::.TINI

IO/O8/2010 From: MARMON/KEYSTONE CORPORATION



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO12687

Purchase Order Date 10/04/10 **PO Print Date** 10/04/10

Page Number 1 of 2

Order From:

VC-MAR001

MARMON/KEYSTONE CANADA LTD. 290 CHEMIN DU TREMBLAY BOUCHERVILLE, QC J4B 5X9

CA

Contact Name

Vendor Fax

Vendor Phone

800 361 8142

Vendor Account Nbr

450 641 4357

Terms

Chantal Lavoie Buyer

Requisition Nbr Tax Resale Nbr

Net 30 CAD

10127-2607

Currency **FOB**

Destination-Collect

Ship To:

DART AEROSPACE LTD

1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CANADA



Line Nbi	Reference Revision ID	Description/ Mfg ID	Req Date/ Taxable J	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
	Vendor Part Number						
1 M	16061T6T0.500W.058	6061-T6 RD Tube .500 x.058W	10/07/10	84.00	TST ground	\$2.2000	\$184.80
			Yes	f			
		Special Inst:	TUBING PER	51-T6 OR 6061-T6 2 AMS 4080 OR A QQ-A-225/8,			
2 M	16061T6T1.000W.188	6061T6 RD TUBE 1.00 X .188W	10/07/10	48.00	TST ground	\$3.4500	\$165.60
			Yes	f			
		Special Inst:	AS ABOVE	/			
3 N	1303R0.375	303 Round Bar 0.375"	10/07/10	24.00	TST ground	\$0.9300	\$22.32
			Yes	f			

Special Inst:

MATERIAL: AISI 303 SS ROUND BAR AS

PER ASTM A582 ~

NOTE: 304/316 NOT ACCEPTABLE

No substitution or deviation without consent.

Certification required when applicable

Change Nbr:

Change Date: 10/04/10

Certificate of Conformity or Material



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO12687

Purchase Order Date 10/04/10 PO Print Date 10/04/10

Page Number 2 of 2

Order From:

VC-MAR001

MARMON/KEYSTONE CANADA LTD. 290 CHEMIN DU TREMBLAY BOUCHERVILLE, QC J4B 5X9

CA

Contact Name

Vendor Phone

800 361 8142

Vendor Fax

450 641 4357

Vendor Account Nbr

Buyer

Chantal Lavoie

10127-2607

Requisition Nbr

Tax Resale Nbr

Net 30

Terms Currency

CAD

f

FOB

Destination-Collect

M303R0.750

303 Round Bar 0.750

10/07/10

Yes

36.00 TST ground

\$4.1500

\$149.40

Special Inst:

AS ABOVE

PO Total:

\$522.12

MATERIAL CERTIFICATION REQ'D UPON DELIVERY

No substitution or deviation without consent.

Certificate of Conformity or Material

Change Nbr:

Change Date: 10/04/10

Certification required when applicable



ACIERS SPÉCIALISÉS

PAGE .:

Date.: 10/04/10 Quotation number.: 1-584168

290 Chemin du Tremblay Boucherville QU CAN J4B 5X9 Tel -514-527-9153 232 Wats 1-800-361-8142 FAX -450-641-4357

E-mail: gdulude@mkcdn.com

SOUMISSION/QUOTATION

Territory: 16A

Telephone: 613 632 9577

ATTN.: Sold To: CHANTAL LAVOIE

Ship To:

Fax....: 613 632 1053

DART AEROSPACE LTD

DART AEROSPACE LTD

1270 ABERDEEN STREET

1270 ABERDEEN STREET

HAWKESBURY

ON CAN K6A 1K7

HAWKESBURY

ON CAN K6A 1K7

Ship Via

TST OVERLAND #222212

F.<u>O.B</u>

Salesperson

Your Reference No.

BOUCHERVILLE

G. Dulude

Les prix et livraisons sont basés sur la totalité de cette soumission. Les changements concernant la quantité ou la livraison peuvent exiger une révision de soumission. Nous nous réservons le droit d'ajuster nos prix de vente en conformité avec les coûts de l'usine, les frais de transport, les tarifs douaniers, les taxes fédérale et provinciale applicables à la date de livraison. Une variation dans les quantités livrées concordera à la pratique courante du vendeur. Toutes les commandes sont conditionnelles à l'approbation du département de crédit. Le client doit fournir une commande écrite non-annulable pour l'acceptation de cette soumission.

Pricing and delivery are based on the complete bill of Material. Change to quantities or delivery may require a revised quotation. Pricing and delivery, as quoted, are based on conditions prevailing at the time of quotation and are subject to review at time of order. Permissible variation in shipping quantities will be to the seller's standard practice. Orders resulting from quotation are subject to our credit approval. The Customer is to supply a written non-cancellable order to accept this quotation.

vous remercions de votre demande de prix et il nous fait plaisir de vous soumettre les renseignements / We thank you for your inquiry and take pleasure in quoting on your requirements as follows:

T ATS .5	NUM SMLS TUBE T6 DRAWN B-210 500 .058 D6061 tock en 1grs de 12'	1	2 200 (57	
st	<u></u>	1	2 200 /FT	
			2.200/FT	184.80
ALUMIN	NUM HOLLOW BAR B-241 T6511			
FT ABH 1.0 st		1	3.450/FT	165.60
STAINL	ESS ROUND BAR A582			
		1	.930/FT	22.32
STAINL	ESS ROUND BAR A582			
		1	4.150/FT	149.40
No	ous ne tenons pas de barre ronde e	en aluminium.		
Je	e dois donc regretter pour le 0.75	50 rond en alum.		
Er	nergy Surcharge			12.20
	STAINI FT SBR .3 STAINI FT SBR .7 S1	stock en 1grs de 12-13' rdm STAINLESS ROUND BAR A582 T SBR .750 CD 303 stock en 1grs de 12-13' rdm Nous ne tenons pas de barre ronde e	STAINLESS ROUND BAR A582 SBR .375 CD 303 1 stock en lgrs de 12-13' rdm STAINLESS ROUND BAR A582 SBR .750 CD 303 1 stock en lgrs de 12-13' rdm Nous ne tenons pas de barre ronde en aluminium. Je dois donc regretter pour le 0.750 rond en alum.	STAINLESS ROUND BAR A582 SBR .375 CD 303 1 .930/FT stock en lgrs de 12-13' rdm STAINLESS ROUND BAR A582 SBR .750 CD 303 1 4.150/FT stock en lgrs de 12-13' rdm Nous ne tenons pas de barre ronde en aluminium. Je dois donc regretter pour le 0.750 rond en alum.

Taxes applicables: En sus/ All applicable taxes Extra: Montant total/ Tarifs douaniers/ Duty Total Amount...: 534.32 Poids total/ Les prix soumis sont en fonds canadiens sauf si precise autrement/ All prices quoted in Canadian Dollars unless otherwise stated. Total weight...: 98.2 lbs